

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/054,558	01/22/2002	Steffen Hofacker	Mo6676/LeA 34,925 7309	
157 75	90 02/08/2006		EXAMINER	
BAYER MAT	TERIAL SCIENCE LLC	BISSETT, MELANIE D		
100 BAYER ROAD PITTSBURGH, PA 15205			ART UNIT	PAPER NUMBER
	,		1711	
		DATE MAILED: 02/09/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)			
	10/054,558	HOFACKER ET A	AL.		
Office Action Summary	Examiner	Art Unit			
	Melanie D. Bissett	1711			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence ac	idress		
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	J. lely filed the mailing date of this o D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 16 De	ecember 2005.				
2a) ☐ This action is FINAL . 2b) ☒ This	action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.			
Disposition of Claims					
4) ☐ Claim(s) 1-11 and 14 is/are pending in the apprending of the above claim(s) is/are withdraw 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-11 and 14 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the Examine 11).	epted or b) objected to by the Edrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 C	• •		
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite	O-152)		

Application/Control Number: 10/054,558 Page 2

Art Unit: 1711

1. The prior art rejections from the previous Office action have been maintained.

Claim Rejections - 35 USC § 103

- 2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 3. Claims 1-11 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over BASF as evidenced by Kubitza and in view of Bayer and vice versa, and further in view of Lewis.

4. From a prior Office action:

BASF teaches two-component coating compositions for aluminum substrates comprising a binder component and hardener component (abstract). The binder component must have at least one active hydrogen-containing compound, suggesting a resin reactive toward isocyanate groups (p. 4 line 32-p. 5 line 6). The hardener component comprises an isocyanate and a silane oligomer (p. 7 lines 2-4). Suitable isocyanates have preferred functionalities of 3-4 (p. 7 lines 24-32), where biurets of hexamethylene diisocyanate are most preferred (p. 7 lines 18-23). Kubitza teaches that conventional biurets of HDI have an isocyanate content of 23.5% by weight and a functionality of greater than 3 (col. 4 lines 55-62). Thus, the preferred use of such compounds in BASF suggests the applicant's claimed polyisocyanate. The silane oligomer is a reaction product of the isocyanate with a coupling agent, where the coupling agent fits the applicant's formula (I) of claims 2-5 (p. 9, all). The two-component coatings of BASF are preferably applied to untreated aluminum as a primer coating for other coatings (p. 12, lines 6-16), and the examples show the application of at least two organic coatings covering the primer coating (examples 3-4).

BASF and Kubitza apply as above, teaching the application of a primer to various substrates, including metal, glass, and plastics (p. 11 lines 28-32). Although BASF teaches the use of top coatings on the primer layers, the reference does not teach the applicant's claimed modified inorganic layer [or the application of the coatings to polycarbonate substrates]. Bayer teaches coatings comprising a carbosiloxane fitting the applicant's formula (III) (p. 4 line 19-p. 5 line 11). Preferred compounds also fit the applicant's claim 9 limitation of formula (III) (p. 6 lines 4-14). The coatings are suitable for improving scratch resistance to substrates including polycarbonates and poly(methyl)methacrylates (p. 14 lines 10-14). Other substrates include metals and glass (p. 14 line 27-p. 15 line 2). Bayer specifically teaches that the adhesion of the coatings may be improved by priming the substrates and that the coatings serve as a top coating to base polyurethane coatings (p. 14 lines 16-25). Therefore, it is the examiner's position that it would have been prima

Art Unit: 1711

facie obvious to use the coatings of Bayer as a top coating in the invention of BASF to improve the scratch resistance of the prepared articles. Also, since BASF teaches application to polymeric substrates, it is the examiner's position that it would have been prima facie obvious to apply the coatings to polycarbonate or poly(methyl)methacrylate substrates by Bayer's teaching to provide transparent articles with improved scratch resistance.

Additionally, Bayer applies as above, teaching polyurethane base coatings with modified inorganic top coatings. The coatings are useful on polycarbonate substrates. However, the reference does not teach the specific claimed polyurethane base coatings. BASF applies as above, teaching polyurethane base coatings with alkoxysilyl groups. The coatings are useful on plastic substrates and have improved adhesion (abstract). Therefore, it is the examiner's position that it would have been prima facie obvious to employ the primer or base coating of the BASF invention in the structures of the Bayer invention to form coatings having improved adhesion.

- 5. The BASF reference teaches that the coatings preferably contain solvents or diluents, including aromatics, napthas, acetates, ethers, esters, ketones, ether esters, and mixtures thereof (p. 11 lines 8-11). Many of the claimed solvents fall are encompassed by the generic recitation of the reference; however, the specific compounds are not noted. Lewis teaches silane-containing hardcoating compositions, where tail solvents are used to increase blush resistance, reduce internal stress, and improve adhesion to polycarbonate substrates (abstract). The most preferred tail solvent is diacetone alcohol, which is miscible with the siloxane backbone and increases adhesion to polycarbonate (col. 7 lines 2-30). Thus, it is the examiner's position that it would have been prima facie obvious to use diacetone alcohol in the primer compositions of the combined invention to improve adhesion of the silane-containing materials to polycarbonate.
- 6. Claims 1-11 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over BASF as evidenced by Kubitza and in view of Mager et al., and further in view of Bayer and either *Ullmann's Encyclopedia of Industrial Chemistry* or Lewis.

Application/Control Number: 10/054,558 Page 4

Art Unit: 1711

7. From a prior Office action:

BASF teaches two-component coating compositions for aluminum substrates comprising a binder component and hardener component (abstract). The binder component must have at least one active hydrogen-containing compound, suggesting a resin reactive toward isocyanate groups (p. 4 line 32-p. 5 line 6). The hardener component comprises an isocyanate and a silane oligomer (p. 7 lines 2-4). Suitable isocyanates have preferred functionalities of 3-4 (p. 7 lines 24-32), where biurets of hexamethylene diisocyanate are most preferred (p. 7 lines 18-23). Kubitza teaches that conventional biurets of HDI have an isocyanate content of 23.5% by weight and a functionality of greater than 3 (col. 4 lines 55-62). Thus, the preferred use of such compounds in BASF suggests the applicant's claimed polyisocyanate. The silane oligomer is a reaction product of the isocyanate with a coupling agent, where the coupling agent fits the applicant's formula (I) of claims 2-5 (p. 9, all). The two-component coatings of BASF are preferably applied to untreated aluminum as a primer coating for other coatings (p. 12, lines 6-16), and the examples show the application of at least two organic coatings covering the primer coating (examples 3-4).

BASF and Kubitza apply as above, teaching the application of a primer composition to aluminum substrates for automotive body panels (p. 11 lines 28-32). Although BASF teaches the use of top coatings on the primer layers, the reference does not teach the applicant's claimed modified inorganic layer. Mager teaches coating compositions suitable for plastics, metals, and glass, where the coatings comprise a carbosiloxane fitting the applicant's formula (III) (abstract). Exemplified compounds also fit the applicant's claim 9 limitation of the formula (col. 1 lines 56-62). The coatings are useful as anti-graffiti coatings on metallic substrates or on organic coatings, where the application to vehicles is noted (col. 2 lines 25-32). Thus, it is the examiner's position that it would have been prima facie obvious to use the coatings of Mager's invention as a top coating in BASF to provide anti-graffiti properties to the prepared articles.

BASF, Kubitza, and Mager apply as above, where both BASF and Mager teach coating polymeric substrates (see Mager, col. 2 lines 25-32, stating that the coatings may be applied to plastics for improving mechanical strength). However, the references do not specify the polymeric substrates claimed by the applicant. Bayer teaches a similar top coating, where the coatings are known to improve the scratch resistance of polycarbonates and poly(methyl)methacrylates (p. 14 lines 10-14). Thus, it would have been prima facie obvious to apply the coatings of BASF and Mager to polycarbonates or poly(methyl)methacrylates to form transparent articles having improved mechanical strength and scratch resistance.

8. The BASF reference teaches that the coatings preferably contain solvents or diluents, including aromatics, napthas, acetates, ethers, esters, ketones, ether esters, and mixtures thereof (p. 11 lines 8-11). Many of the claimed solvents fall are encompassed by the generic recitation of the reference; however, the specific

Application/Control Number: 10/054,558 Page 5

Art Unit: 1711

compounds are not noted. Lewis teaches silane-containing hardcoating compositions, where tail solvents are used to increase blush resistance, reduce internal stress, and improve adhesion to polycarbonate substrates (abstract). The most preferred tail solvent is diacetone alcohol, which is miscible with the siloxane backbone and increases adhesion to polycarbonate (col. 7 lines 2-30). Thus, it is the examiner's position that it would have been prima facie obvious to use diacetone alcohol in the primer compositions of the combined invention to improve adhesion of the silane-containing materials to polycarbonate.

Response to Arguments

- 9. Regarding the new declaration, it is still the examiner's position that the results are not commensurate in scope with the claims. Only one solvent mixture is exemplified. No single solvents are exemplified, whereas the claims are drawn to diacetone alcohol alone or in admixture. The comparative examples are not representative of the prior art, since butylacetate is present in all of the compositions. The prior art suggests other types of solvents, and one skilled in the art would not necessarily include a secondary butylacetate solvent in these compositions. Also, the results do not suggest unexpected results for the whole class of polyurethane primers containing alkoxysilyl groups since only one type of primer is exemplified.
- 10. Furthermore, it should be noted that the applicant now argues that other solvents would form primers that do not adhere to polycarbonate. However, the claims from a previous amendment note that the very same solvents are suitable in the invention.

Application/Control Number: 10/054,558

Art Unit: 1711

The specification even suggests that butyl acetate and ethylacetate are preferred solvents for the invention (p. 7 lines 10-11). This seems contradictory to the present declaration. Also, since the solvents are taught as equivalents in the specification, it does not appear that any unexpected benefits based on solvents were recognized by the applicants at the time of the invention.

- 11. Still further, the prior art suggests at least diacetone alcohol as imparting improved adhesion to polycarbonate substrates. This suggests that the results are indeed expected by one of ordinary skill in the art. Although the applicant argues that the Lewis reference does not teach a two layer coating, it is noted that this reference has been provided for suggesting the conventionality of using a specific solvent in a silane-containing coating to improve the adhesion of the coating to a polycarbonate substrate. The claimed solvent, diacetone alcohol or mixtures of this solvent with other known solvents, is preferred in the invention. Thus, undue experimentation would not be necessary to choose a solvent. It is the examiner's position that one skilled in the art would recognize the benefits of choosing this solvent or solvent mixture in the use of silane-containing coatings on polycarbonate substrates.
- 12. In response to applicant's argument that the examiner's conclusion of obviousness is based upon improper hindsight reasoning, it must be recognized that any judgment on obviousness is in a sense necessarily a reconstruction based upon hindsight reasoning. But so long as it takes into account only knowledge which was within the level of ordinary skill at the time the claimed invention was made, and does not include knowledge gleaned only from the applicant's disclosure, such a

Art Unit: 1711

reconstruction is proper. See In re McLaughlin, 443 F.2d 1392, 170 USPQ 209 (CCPA

1971).

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Melanie D. Bissett whose telephone number is (571)

272-1068. The examiner can normally be reached on M-F 8-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, James Seidleck can be reached on (571) 272-1078. The fax phone number

for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Melanie D. Bissett Primary Examiner

Art Unit 1711

mdb